Dolomiti

PREVIEW

Modular electrification system
with integrated lighting
for vertical paneling



L&S

Dolomiti

Modular electrification system
with integrated lighting
for vertical paneling

L&S

Dolomiti

Modular electrification system for vertical panelling that combines lighting and storage for maximum design flexibility.


A versatile solution, where the cable-free electrification technology integrated into the structure’s uprights allows for quick and intuitive reconfiguration of paneling, with the option to freely adjust the layout of shelves and various lighting elements according to functional and aesthetic requirements. Maximum flexibility in the design and creation of ever-changing configurations, adapting the paneling over time to enhance any space.

IDEAL FOR

- clothing
- eyewear
- fashion accessories
- cosmetic
- pharmacy
- retail

FEATURES

- modularity
- versatility
- no need for connectors



Light, store, display



Dolomiti offers a comprehensive and practical range of illuminated accessories, such as shelves, storage units and illuminated back panels, to create bespoke configurations and enhance any residential or retail space.

The daisy-chainable power connectors simplify connection to the mains supply and optimise cable management, reducing wiring clutter and speeding up the installation process.



Design freedom

Walk-in wardrobe as an individually tailored space

Dolomiti makes it possible to organise every detail according to individual requirements and the available space: shelves, storage units, accessories and lighting solutions can be freely combined along the electrified uprights to create functional, tidy and ever-adaptable layouts. The ability to reposition the elements with ease allows the layout to be modified over time, transforming the walk-in wardrobe into a dynamic space, designed around designed around the individual.

- Customisation and organisation
- Repositionable accessories for configurations adaptable to the individual's needs
- ILighting to improve visibility and enhance usability

Functionality enhancing kitchens and living rooms

In living spaces, Dolomiti addresses contemporary needs for storage and organisation through solutions that combine design, lighting and functionality to create modern, streamlined and practical wall units that blend in with the style of the room. From the living area to the kitchen, the system showcases displayed items, optimises the available space and offers the flexibility to rearrange the layout without compromising on aesthetics.

- Storage and flexibility with contemporary aesthetic
- Display functionality and dramatic lighting
- Reconfigurable wall units to adapt to the evolution of your living spaces

Display, communication and lighting for the retail sector

In retail spaces, Dolomiti becomes a design tool for organising and showcasing products, placing the product at the center of the shopping experience. Repositionable illuminated shelves, storage modules and other accessories allow for the creation of flexible displays, optimising display space and enabling the wall to be quickly adapted to different collections, seasonal changes and sales strategies. Customisable illuminated back panels with prints expand the system’s creative possibilities, transforming the wall into a visually striking display surface capable of boosting brand identity, drawing attention and enhancing product communication.

- Freedom in organising the display and showcasing the product
- Set-ups adaptable to different collections, campaigns and seasonal themes
- Illuminated back panels with customised prints for effective visual communication



Dolomiti - Parts and accessories

A SIDE UPRIGHTS KIT

24 V

2 PCS

a



2 PCS

b



10 PCS

c



1 PCS

d



20 PCS

e



2 PCS

f



DESCRIPTION	CODE
KIT includes:	...

a - 2x

2700mm anodised aluminium uprights with slotted rack machining:
to be used as side uprights (left / right) of the structure.
Complete with a double electrified track (**+** and **-**) in insulated plastic sheat:
tracks supply power to the lamps fitted to the shelves / lighting accessories
via support brackets fitted with electrical contacts.

b - 2x

Screw adjustable steel setting foot, supplied unassembled, to be screwed
onto the aluminium upright (screws included): allows height adjustment of the
upright for precision shelves alignment.

c - 10x

Steel wall-mounting brackets, to be inserted into the rear of the upright:
allows the upright to be levelled; screws and wall plugs not supplied.

d - 1x

Polarised cabled power connector (**+** and **-**) , to be screwed onto the aluminium
upright (screws included): complete with dual cable – V IN (for connection
to the power supply unit) and V OUT (which can be used to connect multiple
uprights in the structure in series).


e - 20x


Plastic fixing brackets, for wooden back panels snap-fit installation against the
aluminium uprights: to be fitted (using the screws provided) to the rear of the
back panels.

f - 2x

Decorative plastic profile, cuttable to size: to be used, upon completing the
panelling with all shelves and accessories, to conceal the gap between the
wooden back panels.

(mm)





Dolomiti - Parts and accessories

(A) CENTRAL UPRIGHT KIT

24 V

1 PCS (a)




1 PCS (b)



5 PCS (c)



1 PCS (d)



10 PCS (e)



1 PCS (f)



DESCRIPTION	CODE
KIT includes:	...

a - 1x
2700mm anodised aluminium upright with slotted rack machining:
to be used as central upright of the structure.
Complete with a double electrified track (**+** and **-**) in insulated plastic sheat:
tracks supply power to the lamps fitted to the shelves / lighting accessories
via support brackets fitted with electrical contacts.

b - 1x
Screw adjustable steel setting foot, supplied unassembled, to be screwed
onto the aluminium upright (screws included): allows height adjustment of the
upright for precision shelves alignment.


c - 5x
Steel wall-mounting brackets, to be inserted into the rear of the upright:
allows the upright to be levelled; screws and wall plugs not supplied.


d - 1x
Polarised cabled power connector (**+** and **-**) , to be screwed onto the aluminium
upright (screws included): complete with dual cable V IN and V OUT, to be
used to connect multiple uprights in the structure in series.

e - 10x
Plastic fixing brackets, for wooden back panels snap-fit installation against the
aluminium uprights: to be fitted (using the screws provided) to the rear of the
back panels.

f - 1x
Decorative plastic profile, cuttable to size: to be used, upon completing the
panelling with all shelves and accessories, to conceal the gap between the
wooden back panels.

(mm)






Dolomiti - Parts and accessories

Ⓒ ILLUMINATED ALUMINIUM AND GLASS SHELF - ROUNDED CORNERS

24 V | WW







DESCRIPTION	FINISH	CCT	W	L	H 26mm
LED (24 V) **- 7,1W**	iron grey	3000K	300mm	800mm	...
			500mm	800mm	...
		4000K	300mm	800mm	...
			500mm	800mm	...
	rose grey	3000K	300mm	800mm	...
			500mm	800mm	...
		4000K	300mm	800mm	...
			500mm	800mm	...

Aluminium frame with 4mm transparent glass shelf, complete with electrification contact and integrated lighting (in the front side, light beam towards the back panel). To be used with linear electrified shelf brackets, sold separately.


Exclusive design, featuring tapered profiles and rounded corners

On request:
- Custom measures
- Dark glass


LINEAR SHELF BRACKETS - Electrified and repositionable

Made of painted steel, 4mm thick, integrated shelf supports and electrification contact.

H	FINISH		W 300mm	W 500mm
26mm	iron grey	Left + Right	...	...
		Central	...	...
	rose gold	Left + Right	...	...
		Central	...	...







Dolomiti - Parts and accessories

(D) ILLUMINATED ALUMINIUM AND GLASS SHELF WITH HANGING BAR - ROUNDED CORNERS


24 V | WW



rose gold



(mm)




DESCRIPTION	FINISH	CCT	W	L	H 26mm
LED (24 V) **- 7,1W** Aluminium frame with 4mm transparent glass shelf and clothes hanging bar, complete with electrification contact and integrated lighting (in the front side, light beam towards the back panel). To be used with linear electrified shelf brackets, sold separately. Exclusive design, featuring tapered profiles and rounded corners On request: - Custom measures - Dark glass	iron grey	3000K	300mm	800mm	...
			500mm	800mm	...
		4000K	300mm	800mm	...
			500mm	800mm	...
	rose gold	3000K	300mm	800mm	...
			500mm	800mm	...
		4000K	300mm	800mm	...
			500mm	800mm	...

LINEAR SHELF BRACKETS - Electrified and repositionable

Made of painted steel, 4mm thick, integrated shelf supports and electrification contact.

H	FINISH		W 300mm	W 500mm
26mm	iron grey	Left + Right	...	...
		Central	...	...
	rose gold	Left + Right	...	...
		Central	...	...




Dolomiti - Parts and accessories


(E) ILLUMINATED ALUMINIUM AND GLASS SHELF

24 V | WW



66 iron grey





DESCRIPTION	CCT	FINISH	W	L	H 26mm	H 36mm
LED (24 V) **- 10W/m**	3000K	iron grey	300mm	600mm	...	...
				800mm	...	...
				900mm	...	...
				1000mm	...	...
				1200mm	...	...
			500mm	600mm	...	...
				800mm	...	...
				900mm	...	...
				1000mm	...	...
				1200mm	...	...


Aluminium frame with 4mm transparent glass shelf, complete with electrification contact and integrated lighting (in the front side, light beam towards the back panel).
To be used with linear electrified shelf brackets, sold separately.

On request:
- Custom measures
- Other color temperatures
- Dark glass

LINEAR SHELF BRACKETS - Electrified and repositionable

Made of painted steel, 4mm thick, integrated shelf supports and electrification contact.


FINISH	W		H 26mm	H 36mm
iron grey	300mm	Left + Right	...	...
		Central	...	...
	500mm	Left + Right	...	...
		Central	...	...




Dolomiti - Parts and accessories


(F) ILLUMINATED ALUMINIUM AND GLASS SHELF WITH HANGING BAR

24 V | WW



66 iron grey





DESCRIPTION	CCT	FINISH	W	L	H 26mm	H 36mm
LED (24 V) **- 10W/m**	3000K	iron grey	300mm	600mm	...	...
				800mm	...	...
				900mm	...	...
				1000mm	...	...
				1200mm	...	...
			500mm	600mm	...	...
				800mm	...	...
				900mm	...	...
				1000mm	...	...
				1200mm	...	...


Aluminium frame with 4mm transparent glass shelf and clothes hanging bar, complete with electrification contact and integrated lighting (in the front side, light beam towards the back panel).
To be used with linear electrified shelf brackets, sold separately.

On request:
- Custom measures
- Other color temperatures
- Dark glass

LINEAR SHELF BRACKETS - Electrified and repositionable

Made of painted steel, 4mm thick, integrated shelf supports and electrification contact.

FINISH	W		H 26mm	H 36mm
iron grey	300mm	Left + Right	...	...
		Central	...	...
	500mm	Left + Right	...	...
		Central	...	...




Dolomiti - Parts and accessories


(G) DOUBLE ILLUMINATED ALUMINIUM AND GLASS SHELF

24 V | WW



66 iron grey





DESCRIPTION	CCT	FINISH	W	L	H 26mm	H 36mm
LED (24 V) **- 10W/m**	3000K	iron grey	300mm	600mm	...	...
				800mm	...	...
				900mm	...	...
				1000mm	...	...
				1200mm	...	...
			500mm	600mm	...	...
				800mm	...	...
				900mm	...	...
				1000mm	...	...
				1200mm	...	...


Aluminium frame with 4mm transparent glass shelf, complete with electrification contact and integrated double lighting (in the back side, light beam upward downward). To be used with linear electrified shelf brackets, sold separately.

On request:
- Custom measures
- Other color temperatures
- Dark glass

LINEAR SHELF BRACKETS - Electrified and repositionable

Made of painted steel, 4mm thick, integrated shelf supports and electrification contact.

FINISH	W		H 26mm	H 36mm
iron grey	300mm	Left + Right	...	...
		Central	...	...
	500mm	Left + Right	...	...
		Central	...	...




Dolomiti - Parts and accessories


(H) DOUBLE ILLUMINATED ALUMINIUM AND GLASS SHELF WITH HANGING BAR

24 V | WW



66 iron grey





DESCRIPTION	CCT	FINISH	W	L	H 26mm	H 36mm
LED (24 V) **- 10W/m**	3000K	iron grey	300mm	600mm	...	...
				800mm	...	...
				900mm	...	...
				1000mm	...	...
				1200mm	...	...
			500mm	600mm	...	...
				800mm	...	...
				900mm	...	...
				1000mm	...	...
				1200mm	...	...


Aluminium frame with 4mm transparent glass shelf and clothes hanging bar, complete with electrification contact and integrated double lighting (in the back side, light beam upward downward). To be used with linear electrified shelf brackets, sold separately.

On request:
- Custom measures
- Other color temperatures
- Dark glass

LINEAR SHELF BRACKETS - Electrified and repositionable

Made of painted steel, 4mm thick, integrated shelf supports and electrification contact.


FINISH	W		H 26mm	H 36mm
iron grey	300mm	Left + Right	...	...
		Central	...	...
	500mm	Left + Right	...	...
		Central	...	...



Dolomiti - Parts and accessories

(I) DIY INTEGRATED LIGHTING FOR WOODEN SHELVES


24 V | EDC | FREE CUT



MOOVE 2 - Free cut

LED (24 V) - 10W/m

3000mm aluminium profile, complete with integrated LED and removable / repositionable opal diffuser for light beam orientation adjustments and anti-glare effect.




Can be cut to size freely at any point without losing LED functionality: each cut section can be used to create a lamp by means of cabled power connector for electrification via a shelf support bracket.

EDC Dual color light source:
color temperature varies from 2700K to 4000K by reversing the insertion side of the power connector.

FINISH		CODE
nero	Profile 3000mm	...
	Power connector	...

03 nero






Dolomiti - Parts and accessories

(L) WOODEN SHELVES ACCESSORIES

SHELF SUPPORT PLASTIC PLUG


For mounting into the sides of wooden shelves,
it allows the shelves to be fitted onto the support brackets.



	CODE
4 PCS	...

LINEAR SHELF BRACKETS - Electrified and repositionable


Made of painted steel, 4mm thick, integrated shelf supports
and electrification contact (non-electrified version on request).



FINISH	W		H 26mm	H 36mm
iron grey	300mm	Left + Right	...	...
		Central	...	...
	500mm	Left + Right	...	...
		Central	...	...

15° ANGLED SHELF BRACKETS - Electrified and repositionable


Made of painted steel, 4mm thick, integrated shelf supports
and electrification contact (non-electrified version on request).



FINISH	W		H 26mm
iron grey	400mm	Left + Right	...
		Central	...

SHOE RACK PROFILE FOR ANGLED SHELF

Made of painted aluminium.




FINISH	L	CODE
iron grey	563mm	...
	863mm	...
	963mm	...
	1163mm	...

Dolomiti - Parts and accessories

(M) SOLARIS ILLUMINATED BACK PANEL

24 V | EDC WW NW





DESCRIPTION	(mm)	LED LIGHT SOURCE
Solaris luminous display panels enhance the illuminated object by giving it exceptional visibility, thanks to uniformly diffused natural light that is free from reflections, shadows and glare. Designed to replace one or more wooden paneling back panels. Can be customised with prints for decorative effect or, in retail settings, to be used as a visual communication tool.	Manufactured to measure in sizes up to 2500x1500mm.	EDC Dual Color (3000K+4000K) MONO (2700K / 3000K / 4000K) EMOTION (2700K+6500K)



Dolomiti - Parts and accessories

(N) REPOSITIONABLE STORAGE MODULE

24 V | WW NW



66 iron grey



DESCRIPTION	FINISH	CCT	H	L	CODE
LED (24 V) **- 6W/m**	iron grey	3000K	600mm	600mm	...
				900mm	...
		4000K	900mm	600mm	...


Painted storage unit featuring aluminium shelves and steel side panels with electrified mounting brackets.
Freely repositionable.

Decorative rear lighting (upwards) integrated into each shelf, with a polycarbonate diffuser.

The width of the storage module in the table (**W**) is equal to the width of the wooden backrest and does not take into account the thickness of the fixing brackets
(4 mm on each side).

On request:
- Custom measures
- Other color temperatures

(mm)



Dolomiti - Parts and accessories

(O) ILLUMINATED SCARF/TIE HOLDER


24 V | WW NW



66 iron grey



(mm)



DESCRIPTION	FINISH	CCT	L	CODE
LED (24 V) **- 6W/m**	iron grey	3000K	600mm	...
			800mm	...
			900mm	...
			1000mm	...
			1200mm	...
		4000K	600mm	...
			800mm	...
			900mm	...
			1000mm	...
			1200mm	...

Painted aluminum profile with integrated decorative lighting, concealed within the profile and oriented towards the back panel.
Freely repositionable.

Integrated electrified mounting brackets made of steel.

The profile length in the table (**L**) is equal to the width of the wooden backrest and does not take into account the thickness of the fixing brackets
(4 mm on each side).

Other color temperatures upon request.


Dolomiti - Parts and accessories

(P) PULL-OUT ACCESSORIES SUPPORT BRACKET


24 V




66 iron grey



(mm)



DESCRIPTION	FINISH	(mm)	L	CODICE
Open support bracket for shelves and pull-out accessories (e.g. trouser racks), made from 4mm-thick steel. Freely repositionable. Integrated electrification contact. For the top cover, use shelves **H36 x W500 (T)**	iron grey	500 x 192 x 4mm	Left Right	... ...




Dolomiti - Parts and accessories


(Q) SUPPORT BRACKET FOR WALL-MOUNTED UNITS

DESCRIPTION

Made of steel, 2mm thick.

To be fitted to the back of wall-mounted units, secured to the sides.





CODICE	
Destra + Sinistra	...


(R) CORNER SUPPORT BRACKET

DESCRIPTION

Made of painted steel, 4mm thick.

To be used as a support for corner shelves or to bear the weight of long shelves.





FINISH		CODE
iron grey	L Left	...

The information in this catalog may be subject to errors.
The items, their characteristics, data, and dimensions contained therein are not binding and may be subject to change without notice from the company.

L&S ITALIA SPA

ITALY

Headquarters
Via L. Zanussi, 8
Maron di Brugnera (PN)
+39 0434 616611
info@ls-light.com

Varese
Via Pacinotti, 64
Varese (VA)
+39 0332 491247

Tavullia
Via del Lavoro, 4
Tavullia (PU)
+39 0721 901123

SUBSIDIARIES

GERMANY

L&S Deutschland GmbH
Daimlerring, 34
Rödinghausen
+49 5223 8790-0
info@ls-light.de

CHINA

LS Lighting
(Shanghai) Co., Ltd.
No. 255, LongPan Rd.,
Malu Town,
Jiading District, Shanghai
+86 021 6915 3825
info.china@ls-light.com

USA

L&S Lighting Corporation
1505 Pavilion Place, Suite A
Norcross, Georgia
+1 877 877 0757
info.us@ls-light.com

ls-light.com