
# Hi Line

**MODULAR SYSTEMS** 


HORIZONTAL WALL PANELLING SYSTEM WITH COMBINING LIGHTINGS





LIGHTING INTELLIGENCE HILINE

L&S



S LIGHTING INTELLIGENCE

(€

# Hi Line

Horizontal free-standing wall panelling system, for retail and residential furnishing

Maximum flexibility and quick assembly for suspended and free-standing furnishing solutions, with the combination of aluminum structural profiles that can be installed on any type of wall.


A modular and versatile furnishing solution, Hi Line enhances living or exhibiting areas with lighting systems that can be easily inserted into the structures with magnetic fixing: the integration of Solaris light panels, customizable with printed graphics also as a visual communication tool, enables the assembly of original and stunning compositions. A wide range of accessories (shelves, object holders and wall units) allows for an neat and rational organization of every environment.

FEATURES

- kitchen
- · living room

**IDEAL FOR** 

- bathroom
- versatility
- easy installationwide range of
- accessories
- furnishing light



**HILINE** 





## Smart and Remote Control of light effects

The Hi Line system light fittings, once connected with Mec Driver power supply and control platform, can be easily controlled via Smart L&S remote controls, L&S Apps or even integrating the most know voice controls commercially available.

# Hi Line

LAMP - 24V DC - EDC

92900070300DND

92900080300DND

92900090300DND

92900010300DND













ACCESSORIES, CONTROL AND SUPPLY

EMOTION JUMPER The included cable allows for colour temperature variation from 'warm' to 'natural' white (2700 K – 4000 K).



#### CONTROL

Product compatible with L&S remote controls of the Smart line.



#### **ALUMINIUM PROFILES**

B	92900020300	3950mm	Upper / Lower profile
<u>c</u>	92900030300	3950mm	Side profile
D D	92900040300	3950mm	Rear profile

900mm

1200mm

1500mm

1800mm

8,1W 2700K-4000K

10,8W

13,8W

16,7W

2700K-4000K

2700K-4000K

2700K-4000K


03

#### SUPPLY


Mec Driver, complete platform of power supplies and receiving modules for light




#### (A) Lamp profile




#### **B** Upper / lower profile





#### © Side profile




#### (D) Rear profile








### Installation example



### Lighting solutions





LIGHTING INTELLIGENCE HILINE



dimensions in mm

max: 1kg x 100mm





#### MODULI VERTICALI

insertion on rear profile

Vertical open modules made of black scratch-resistant brushed aluminium, which can be inserted on rear profile. Available, upon request, provided with single glass doors

03	92900050300	2 x compartments	450 x 150 x h 800mm
	92900060300	3 x compartments	450 x 150 x h 1200mm





#### MODULO ORIZZONTALE


Horizontal open modules made of black scratch-resistant brushed aluminium, which can be inserted on rear profile.

92900240300 2 x compartments 900 x 150 x h 450mm


#### Hi Line - Aluminium shelves










dimensions in **mm** 











12

#### Hi Line - Aluminium accessories








92900150300 Front edge: 7mm 715 x 150mm






92900170300

4x HOOKS






92900200300

330 x 118 x 20mm

#### NOTE



LS-LIGHT.COM FORMA E FUNZIONE.COM