

Pure

2024 COLLECTION

A LUMINOUS BAR
PURE DESIGN TO
ENHANCE EVERY
LIVING SPACES



L&S Lighting
Intelligence

FORMA € FUNZIONE®

Pure

2024 COLLECTION

A LUMINOUS BAR
PURE DESIGN TO
ENHANCE EVERY
LIVING SPACES



Pure

Useful and emotional, a complete lighting solution for home environments integrating functionality and design.

Designed as a useful tool for lighting and organizing the kitchen environment, where particular attention is required to neat and correct arrangement of each accessory, Pure also fits in other home contexts as a furnishing and decorative lighting element.

IP44 protection, ideal for damp location installation. Easily integrated into existing contexts and finished furnishings, Pure can be customized with a range of practical accessories for every need.

IDEAL FOR


- kitchen
- living room
- bathroom

FEATURES

- versatility
- easy installation
- range of accessories
- IP44
- furnishing light

Easy installation in every context


Quick and intuitive fixing, also ideal for integration into finished furnishings. The lamp profile snaps onto a mounting bracket made of extruded aluminium, fixed to the wall by means of screws and dowels (not included, the number varies based on the length of the lamp; use fixing accessories suited to the wall material). It is possible to conceal the power cables of both LED strips behind the lamp inside the wall bracket, so arranging the cable exit where most appropriate.



Double high efficiency LED light source



Pure integrates a double high efficiency LED light source: the upper one acts as wall washer, the lower as functional light. The lamp design, with the recessed positioning of both LED screen covers, ensures anti-glare effect. The EDC Dual Color light sources allow the choice of color temperature during installation (jumper cable) or dynamic adjustment via remote control.



IP44 protection, a solution for every need


Maximum adaptability for integration into any environment: Pure has an IP44 protection rating, making it ideal for environments exposed to humidity. The light source is available with Single color LED strips and EDC Dual Color, allowing color temperature adjustment from warm white 3000K to natural white 4000K.

IP44 **WW**

LED REEL + SCREEN
6,3W/m - 1100lm/m

IP44 **EDC**

LED REEL + SCREEN
9,6W/m - 1100lm/m








Wide range of functional accessories

Pure can be customized with various accessories, functional solutions for best usability and organization of any environment. Each component of the range is easily removable and repositionable at will, ensuring maximum versatility.

The electrical sockets range, specifically designed for kitchen environments, allows for practical cable management, facilitating the installation of Pure in each home context or finished furnishings, without the need for interventions on the electrical wall system






Remote control of both LED sources

Personalized lighting effects with MEC Driver, the power supply and receiving modules system, which allows individual or simultaneous remote control of both LED light sources. Switching, intensity adjustment and color temperature regulation at your will with L&S Smart control systems (such as radio controls and sensors) or via smartphone or voice control systems.






Example of kitchen under-cabinet installation. For proper installation of all accessories (p.12) and sockets (p.10) **the lamp profile must be installed at a distance from the wall unit of 120mm** (optimal distance between wall units and worktop between 50 and 60cm)



Pure



03 Black



dimensions in mm

PURE - EDC 24V DC - IP44




03	554700007	1200mm	16,6W	3000K-4000K
	554700008	1500mm	20,8W	3000K-4000K
	554700009	1800mm	25,0W	3000K-4000K
	554700010	2400mm	33,2W	3000K-4000K
	554700011	3000mm	41,6W	3000K-4000K
	554700012	3900mm	54,6W	3000K-4000K

ACCESSORIES, CONTROL AND SUPPLY

IP44 LED REEL

For maximum light intensity, with opal polycarbonate screen

9,6W/m - 1100lm/m



EMOTION JUMPER

The included cable allows for colour temperature variation from 'warm' to 'natural' white (3000 K - 4000 K).



CONTROL

Product compatible with L&S remote controls of the Smart line.



SUPPLY

Mec Driver, complete platform of power supplies and receiving modules for light control.



PURE - 24V DC - IP20

3000K (4000K on request)




03	554700001	1200mm	14,8W	3000K
	554700002	1500mm	18,6W	3000K
	554700003	1800mm	22,4W	3000K
	554700004	2400mm	30,0W	3000K
	554700005	3000mm	37,4W	3000K
	554700006	3900mm	48,8W	3000K

ACCESSORIES, CONTROL AND SUPPLY

IP44 LED REEL

For maximum light intensity, with opal polycarbonate screen

6,3W/m - 1100lm/m



CONTROL

Product compatible with L&S remote controls of the Smart line.




SUPPLY

Mec Driver, complete platform of power supplies and receiving modules for light control.



PURE - Vertical sockets 220-240V AC

dimensions in mm




1x SCHUKO - SINGLE VERTICAL SOCKET

03 599900001

Magnetic cover

80 x 43 x 140mm



2x SCHUKO - DOUBLE VERTICAL SOCKET


03 599900002

Magnetic cover

80 x 43 x 188mm


Functional solutions for installing extra under-cabinet sockets without the need for interventions on the wall system, also concealing the lamp's power cables (exit behind wall units). The single socket is to be installed resting over the profile of the lamp and can be added any time. The double socket is instead installed between two distinct aligned lighting fixtures. Each socket is equipped with a IP44 covers and is supplied with a 2000mm 220-240V AC power cable.

For proper installation of vertical sockets, Pure lamp profile must be installed at a distance of 120mm from the wall unit



PURE - Linear sockets 220-240V AC

dimensions in mm




2x SCHUKO - DOUBLE LINEAR SOCKET

03 599900003

Magnetic cover

190 x 43 x 80mm



3x SCHUKO - TRIPLE LINEAR SOCKET (FOR MEC DRIVER HOUSING)


03 599900004

Driver not included

330 x 52 x 100mm


Horizontal sockets with an essential and linear design, designed for installation next to column units at the sides of the lamp profile: behind the sockets it's possible to conceal the lamp's power cables (exit behind column unit). Each socket is equipped with IP44 covers and is supplied with a 2000mm 220-240V AC power cable.

Inside the triple socket it is possible to house any MEC Driver complete with control module.



PURE - Kitchen accessories

dimensions in mm




SET 5 HOOKS

03

943000022

5x HOOKS




PAPER ROLL HOLDER

03

943000027

330 x 118 x 20mm




CANTILEVER SHELF 300mm

03

943000025

Front edge: 20mm300 x 120 x 132mm



CANTILEVER SHELF 600mm


03

943000026

Front edge: 20mm600 x 120 x 132mm


PURE - Shelves

dimensions in mm




FLAT SHELF 300mm

03 943000023 Front edge: 12mm 300 x 120 x 20mm



FLAT SHELF 600mm

03 943000024 Front edge: 12mm 600 x 120 x 20mm




TABLET HOLDER


03 943000028 Front edge: 20mm 230 x 45 x 132mm

PURE - Bathroom accessories


dimensions in mm

**TOOTHBRUSH CUP HOLDER**

03 943000030 Cup not included 110 x 110 x 20mm

**TOILET PAPER HOLDER**

03 943000029 185 x 93 x 20mm

**SOAP DISH**

03 943000031 144 x 93 x 42mm

This image shows a full page of blank graph paper. The grid consists of small, evenly spaced squares formed by thin gray lines. There are no margins, text, or other markings on the page.

The information in this catalog may be subject to errors.
The articles, their characteristics, data and dimensions
listed are not binding and may be subject to change
without prior notice from the company.

L&S GROUP

ITALY

L&S Italia SpA

Via L. Zanussi, 8
Maron di Brugnera (PN)
+39 0434 616611
info@ls-light.com

Forma e Funzione Srl

Via Pacinotti, 54
Varese (VA)
+390332491247
info@formaefunzione.com

GERMANY

L&S Deutschland GmbH

Daimlerring, 34
Rödinghausen
+49 5223 8790-0
info@ls-deutschland.de

CHINA

LS Lighting Equipment

(Shanghai) Co., Ltd.
No. 255, LongPan Rd.,
Malu Town,
Jiading District, Shanghai
+86 021 69 15 67 91
info.china@ls-light.com

U.S.A.

L&S Lighting Corporation

1505 Pavilion Place, Suite A
Norcross, Georgia
+1 877 877 0757
info.us@ls-light.com

LS-LIGHT.COM

FORMA E FUNZIONE.COM