

Sicam 2025


Product News

SUSTAINABLE DESIGN
AND TECHNOLOGY
FOR YOUR PROJECTS.

ELECTRIFIED
MODULAR SYSTEMS,
SMART HOME
READY PLATFORM,
HIGH EFFICIENCY
LIGHTING AND
LINEAR PROFILES


A tech and design journey through light

We produce lighting systems that integrate into furnishings to evoke emotions and enhance the well-being of people's daily activities.



**SUSTAINABLE
DESIGN**

**IN-HOUSE TESTING
LABORATORIES**



**SMART HOME
ECOSYSTEM**

**INNOVATIVE PATENTED
SOLUTIONS**

**INTERNATIONAL
CERTIFICATIONS**

**GLOBAL PLATFORM
FOR PRODUCTION AND LOGISTICS**

**INTEGRATION
WITH NEW TECHNOLOGIES
AND PROTOCOLS**



We create lighting solutions that enhance design and individual experience.


Sustainable design

We have embarked on a strategic journey to implement product development processes and activities inspired by the principles of the circular economy, collaborating with universities, designers, and research centers: a true investment for the future. At product level, we have focused on the development and improvement of the group's core products:

- development of a new generation of high-efficiency LED strips that enable energy savings of up to 50% compared to the previous version;
- Mec Lite platform, which reduces the use of components and minimizes overall dimensions, thanks to the distributor being integrated into the power driver;
- integration with smart home ready technologies for efficient, remote management of lighting, including all third-party protocols;
- Moove, a family of free-cut linear profiles: high-quality finishes and optimal light, 30% brighter than commercially available strips.

Patented and innovative products

Thanks to our expertise in Research and Development and the experience gained in integrating lighting into interior furnishings, we are able to transform your ideas into projects, prototypes, and finished products, working in constant collaboration with the technical departments of our clients. We are the ideal partner for the co-development of lighting solutions, providing added value to your products. The patents obtained for new developments testify to our commitment to innovation.




MOOVE FAMILY

Our technologies for a dynamic light

- Addressable LEDs light to create unique interiors and play with lights to add value to furniture;
- gesture control with the innovative motion detection technology: light that responds to your movements, transforming kitchen lighting into an interactive experience;
- smart light system: it's easy to control the light from our remote control, app or voice assistants. We are fully compatible with the most important IoT smart protocols.

Smart Home Ecosystem


With the Mec modular system, we manage lighting easily and offer various options for light control based on needs: from a simple touch of the button connected to the linear light, to the new sensor with three integrated functions (motion, infrared, and touch), up to remote management via transmitter, app, or voice commands.



HI LINE



Thanks to our in-house expertise, we are able to meet the needs of diverse users and markets, always ensuring the highest quality.



International certifications

Our products are designed to be easily certifiable according to all major market standards, thus reducing time-to-market. New L&S products are engineered from the outset to effortlessly meet the requirements set by current regulations, anticipating future needs and ensuring quick compliance with regulatory standards.

In-house testing laboratories

We constantly invest in diagnostic and analytical tools for our in-house laboratories to ensure the safety and reliability of our products through continuous testing. We also provide all necessary documentation to obtain any type of certification, offering real-time support for regulatory updates as well.

Global platform for production and logistics

Our international presence, with locations in Europe, China, and the United States, allows us to be integrated into the main furniture manufacturing districts in their respective countries. We offer a global logistics, production, and service platform, ensuring the sharing of know-how.



Index

Electrified structures	10	Hi Line
	20	Thin Line
Modular systems	24	Sign
Gesture controlled lamps	32	Gesto
Illuminated handle grooves	36	Infinito
Do-it-yourself	40	Moove. The free cut family
Linear lights	52	Zefir
	56	Flux 7B
	58	Odo 3
	60	Ivo 2
	62	Ivo X
Spotlights	64	Focus
	66	Cora
	68	Zebra
Power supply and control platform	70	Mec Lite platform
LED Reels	78	LED Technologies
Accessories	80	Laser door back
	82	IR Door Tube
	83	mini IR
	84	Spider plus

Hi Line

**PATENT
PENDING**



Hi Line L
NEWS 2025

A wall of opportunities

The electrification system for horizontal paneling that integrates linear lighting, creating blades of diffused light with great visual impact

A complete range featuring Hi Line K, specifically designed to maximize space in the kitchen, and Hi Line L, which is ideal for the living area thanks to its ability to support significant loads like sideboards, wall units, and TVs. Hi Line provides a seamless, unifying design solution for every environment.

The structural aluminum profiles conceal a practical track electrification system that allows for the integration of elegant aluminum shelves with built-in lighting into the paneling. This is an aesthetic and functional solution that eliminates the need for visible cables and simplifies the installation process creating stunning light effects.

IDEAL FOR


- every residential environment
- retail

FEATURES

- modular and versatile
- easy installation
- cable-free electrification of shelves
- decorative lighting and furniture element




Component schedule



The Hi Line system allows the configuration of electrified structures for horizontal wall-paneling, enabling the wireless integration of light fixtures and aluminium accessories. The modular electrified structure can be installed as either a floor-mounted or suspended element and can be integrated with upper or lower linear wall-washer lighting.

Hi Line Hi Line is compatible for use with 19mm wooden back panels (by the furniture maker)




1. Lower closing profile
2. Upper closing profile (**electrified**)
3. Side profile mounting bracket, installed on closing profile
4. **Cabled electrified** side profile mounting bracket, installed on closing profile
5. **Electrified** mounting bracket wiring
6. Rear profile, **electrified**, complete with concealed conductive tracks

7. **Electrified** side profile mounting bracket, installed on rear profile
8. Side profile mounting bracket, installed on rear profile
9. **Electrified** side profile, complete with concealed conductive tracks
10. Side profile
11. LED Driver (not included)
12. Wooden back panel (by the furniture maker)

Repositionable illuminated shelf

03 Black




- Thin and elegant, only 2mm thick at the front, the Hi Line luminous shelves enhance every space by creating blades of diffused light with great visual impact
- Easy and intuitive assembly
- Without cables, powered by the paneling rear profile (6) via plastic insulated shelf bracket
- Made of brushed, scratch-resistant extruded aluminum in black finish, with polycarbonate screen cover and plastic sides
- Maximum load: 5Kg evenly distributed
- EDC Dual Color LED source with adjustable color temperature (3000K or 4000K)


**24V DC | LED 10W/m**

EDC 3000K-4000K

L (mm)= 600 / 900 / 1200 / 1500

on request









Magnetic linear lamp

03 Black



- Without cables: powered by electrified side profile (9) via electrified pin contacts on the sides
- Easy magnetic fixing inside rear profile (6)
- Made of extruded aluminum in black finish, complete with polycarbonate screen cover
- EDC Dual Color LED Light source, with adjustable color temperature (3000K or 4000K)




24V DC | LED 10W/m

EDC 3000K-4000K

L (mm)= 600 / 900 / 1200 / 1500 / 1800

on request

Wall-Washer LED



- Supplied installed in the lower (1) or upper (3) closing profiles
- Powered via cable, connected to cabled electrified side profile mounting bracket (4)
- EDC Dual Color LED Light source, with adjustable color temperature (3000K or 4000K)

24V DC | LED 10W/m


EDC 3000K-4000K

03 Black


custom

Illuminated cabinet modules

03 Black



- Horizontal or vertical modules made of black scratch-resistant brushed aluminium
- Available in open version or with single door in Stopsol smoked glass
- Fixed depth 150mm
- Maximum load: 1Kg every 100mm
- Integrated double emission (upper and lower) light shelf without cables, powered by the paneling rear profile (6) via plastic insulated shelf bracket
- EDC Dual Color LED Light source, with adjustable color temperature (3000K or 4000K)

**24V DC | LED 10W/m**

EDC 3000K-4000K

VERTICAL MODULES WITH STOPSOL GLASS DOOR


A	450 x 150 x h 800mm	2 x compartments	8,6W	523100003
B	450 x 150 x h 1200mm	2 x compartments	8,6W	523100004

VERTICAL MODULES

C	450 x 150 x h 800mm	2 x compartments	8,6W	523100001
D	450 x 150 x h 1200mm	3 x compartments	8,6W	523100002

HORIZONTAL MODULES


E	600 x 150 x h 450mm	2 x compartments	11,6W	523100006
	900 x 150 x h 450mm	2 x compartments	17,6W	523100005




max: 1kg x 100mm

Cabinet modules

03 Black



- Horizontal or vertical modules made of black scratch-resistant brushed aluminium
- Snap-fit installation on paneling real profile (6)
- Available in open version or with single door in Stopsol smoked glass
- Fixed depth 150mm
- Maximum load: 1Kg every 100mm



VERTICAL MODULES WITH STOPSOL GLASS DOOR


A	450 x 150 x h 800mm	2 x compartments	92900210300
B	450 x 150 x h 1200mm	2 x compartments	92900220300

VERTICAL MODULES

C	450 x 150 x h 800mm	2 x compartments	92900050300
D	450 x 150 x h 1200mm	3 x compartments	92900060300

HORIZONTAL MODULES

E	600 x 150 x h 450mm	2 x compartments	92900250300
	900 x 150 x h 450mm	2 x compartments	92900240300



max: 1kg x 100mm

Thin Line

PATENTED



A wall of opportunities

The innovative modular electrified system for boiserie and vertical panels patented by L&S, integrating functional new accessories

Directional lighting, positioned only where necessary, enhances walk-in closets, living areas, and commercial spaces.

With the integration of Lite Track rail, now compatible with Thin Line, it's possible to use new lighting solutions, such as practical magnetic-mount adjustable micro-spotlights that emphasize the illuminated object.

The new mounting system for backs is an aesthetic and functional solution that allows for easier and more precise installation, reducing the gap between panels.




IDEAL FOR

- clothing
- eyewear
- fashion accessories
- cosmetics
- pharmacy
- luxury retail

FEATURES

- modularity
- versatility
- no need for connectors





Electrified track for adjustable spotlights with magnetic mounting



Directional lighting, positioned only where necessary: the Lite Track electrified rail, now available with integrated spring electrification contacts, is the ideal solution to conceal the light source and focus attention on the illuminated object. It features recessed installation with only 11mm in width and an elegant black finish, allowing for the easy accommodation of miniaturized adjustable spotlights and linear lamps through magnetic mounting.

Easier and more precise mounting of backs


Easy and quick to install, the new plastic spacer greatly simplifies the sliding and fitting assembly of the panel backs onto the vertical supports: it is securely screwed to the back of the panel and accurately aligned using the removable corner template.

An aesthetic solution that reduces the gap between panels





The spacer allows for the installation of panels in a forward position, overlapping the aluminum support, which is completely concealed. This is an aesthetic and functional solution that reduces the gap between panels, creating an elegant continuous surface effect, with the option to use thick panels without the need for edge finishing.



Ⓐ Standard installation with visible vertical support



Ⓑ Installation with plastic spacer



Sign



Shape and finish

Modern aesthetics and refined finishes for a more than unique combination of light and furniture

Sign is renewed and introduce new elegant finishes such as Champagne and Anthracite Grey to the standard brushed black, also adding to the accessories range new aluminium cabinet modules with rounded corners, decorative and with great visual impact. Sign Round, the new mirror module with curved lines, in which the light harmoniously follow the shapes, offering new aesthetic and functional possibilities in every environment. New range of accessories made in modern shapes with sophisticated materials such as smoked glass and matt black metal wire to embellish the horizontal light bar

IDEAL FOR

- any indoor environments
- damp locations (IP44)

FEATURES

- versatile and functional
- easy installation
- range of accessories and cabinets
- furnishing light







Sign stands out once again for its elegance and versatility, integrating light with the architecture of spaces to create exclusive atmospheres: a unique aesthetic solution that enhances every indoor environment.



SIGN - Cabinet modules - Radius 20mm




VERTICAL OPEN MODULES

New design with rounded corners (R 20mm): snap-fit installation on Sign profile, made of black scratch-resistant brushed aluminium (other finishes on request).

A	3x Compartments	300 x 760 x 150mm	910700163
		450 x 760 x 150mm	910700166
		600 x 760 x 150mm	910700164
		900 x 760 x 150mm	910700165
B	3x Compartments	300 x 880 x 150mm	910700167
		450 x 880 x 150mm	910700168
		600 x 880 x 150mm	910700169
		900 x 880 x 150mm	910700170
C	4x Compartments	300 x 1300 x 150mm	910700171
		450 x 1300 x 150mm	910700172
		600 x 1300 x 150mm	910700173
		900 x 1300 x 150mm	910700174

SIGN - Cabinet modules - Radius 20mm

**HORIZONTAL OPEN MODULES**

New design with rounded corners (R 20mm): snap-fit installation on Sign profile, made of black scratch-resistant brushed aluminium (other finishes on request).

A	1x Compartment	300 x 400 x 150mm	910700158
		450 x 400 x 150mm	910700159
		600 x 400 x 150mm	910700160
B	2x Compartments	900 x 400 x 150mm	910700161
C	3x Compartments	1200 x 400 x 150mm	910700162

SIGN - Illuminated mirrors

**SIGN ROUND - Radius 60mm**

Bathroom mirror made of black scratch-resistant brushed aluminum, complete with high-efficiency LED perimeter light integrated into the structure and touch controls (ON-OFF / color temperature / anti-fog). Snap-fit installation on Sign profile. Other sizes on request.



900 x 600H x 150mm
LED EDC Dual Color
3000K-4000K

upon request


Glass shelf




Glass spice holders



Metal wire cantilever shelf



Metal wire shelf





Gesto

**PATENT
PENDING**



VIDEO

Handy! Hand control

Smart lighting with innovative technology for gesture control of light in the kitchen.

Gesto is the linear under-cabinet lamp that responds to your movements, transforming kitchen lighting into an interactive experience. A perfect combination of functionality and design, Gesto incorporates special sensors with motion detection technology at both ends: the lamp turns on, off, and adjusts with a simple gesture of your hands, allowing you to easily customize the position and width of the beam of light to create the illumination you need.

- Switching ON / OFF
- Segmenting
- Dynamic segment control
- Segment shift
- Dimming

IDEAL FOR

- kitchen

FEATURES

- gesture control
- directional LED
- functional lighting







Infinito

Enhance your space

Functional and decorative solutions that create a welcoming atmosphere by highlighting the linearity of the kitchen

Infinito is a handlebar profiles serie with integrated linear lighting, designed to enhance handle-less furniture with targeted light accents that enhance the geometry of the shapes. A functional solution with great visual impact, to create customized atmospheres thanks to L&S Smart control systems and state of the art LED technologies. The profiles are made of anodized aluminum and available in the horizontal and vertical versions

IDEAL FOR



- kitchens
- handle-less furniture

FEATURES



- integrated lighting
- functional light that furnishes
- Smart control





INFINITO | ILLUMINATED VERTICAL HANDLEBAR




INFINITO | ILLUMINATED HORIZONTAL HANDLEBARS



90° Corner
inner / outer



90° Corner
inner / outer





Moove

The free cut family

"Free cut" lamps collection,
customizable to the millimeter, to be
independently assembled



Moove 5
NEWS 2025

IDEAL FOR DRAWERS
AND DOORS

Moove is a versatile DIY lighting system, ideal for enhancing any furniture in an easy and intuitive way. The collection includes various aluminum profiles that can be cut to size, supplied in 3m lengths complete with a polycarbonate screen cover: each profile incorporates a new state of the art "free cut" LED strip, **which can be cut together with the profile at any point without cutting pitch constraints or loss of functionality.** A solution with no material wasting, in which each cut section can be used, by means of practical "plug&play" power connectors, to create customized lamps down to the millimeter with a "full light" effect without shadow areas.

IDEAL FOR

- Wardrobe cabinets
- Undercabinet
- Shelf
- Drawers and doors

FEATURES

- "plug&play" system
- easy installation/
replacement
- cuttable to size
- integrated control



A complete range for every need

The Moove lamp collection includes various lighting solutions: a complete range of products to enhance furniture, for horizontal or vertical installation.

Moove 1 is a practical protruding profile, easy to install in any context without milling operations, ideal for refitting existing furniture; **Moove 2** is a small dimensions recessed profile with adjustable light beam, ideal for vertical installations inside the cabinet's sides; **Moove 3** is a versatile recessed profile, complete with various accessories for use in any environment; **Moove 4** is a flexible LED Reel for recessed installation, only 4mm wide, whilst **Moove 5** is the ideal solution for lighting drawers or inside kitchen base units.



Plug & play power supply, integrated control and accessories


The cabled plug & play power connector, available for each Moove version, allows the creation of customized lamps in a simple, intuitive and safe way: a solution without the need to solder the LED that makes the installation of the device in the cabinet easier, also facilitating its possible replacement. The new integrated controls systems, functional and elegant, widen the lamp's installation scenarios, while the range of accessories allows the in-line connection of multiple lamp sections, an intelligent solution that avoids material waste



Preassembled Dual Color LED, "full light" without shadows


DIY lamps customized to the millimeter, with "full light" effect without shadow areas thanks to the pre-assembled LED Strip, cuttable at any point without loss of functionality together with the profile.

The color temperature varies from 2700K to 4000K by inverting the insertion side of the power connector or via remote light control systems



Cut, connect... create!

1.




Cut the profile to size together with the screen cover

2.




Carefully remove any aluminum burrs, dust, debris or shavings

3.




Use the plug & play Power Kit to assemble the lamp

4.



Connect MOOVE to the MEC Driver power supply system

Each cut section can be used to assemble customized lamps down to the millimeter





Note for cutting Moove profiles: use tools suitable for aluminum cutting and execute a precise and clean cut, carefully removing any aluminum burrs, dust, debris or shavings



Moove 1

SURFACE MOUNTED LAMP

- Direct light beam emission
- Complete range of Integrable plug & play sensors: IRS / PIR / Touch
- Accessories for in-line connection of multiple lamp segments
- Easy DIY installation, no furniture milling required, ideal for refitting and integration into existing furniture






Moove 2

RECESSED MOUNTED LAMP

- Ideal for vertical installation inside the cabinet's sides
- Adjustable light beam orientation
- Retractable anti-glare screen cover
- Integrable plug & play IRS sensor
- Accessories for in-line connection







Moove 3

RECESSED MOUNTED LAMP

- Direct light beam emission
- Complete range of Integrable plug & play sensors: IRS / PIR / Touch
- Accessories for in-line connection of multiple lamp segments






Moove 4

FLEXIBLE LED REEL

- Only 4mm wide
- Maximum flexibility in creating a variety of shapes
- Recessed installation







Moove 5


SURFACE-MOUNTED LAMP

- Direct light beam emission
- IRD Door sensors
- Brackets for cabinet's sides fixing.




WDC DUAL COLOR


Color temperature varies from 2700K to 4000K by reversing the insertion side of the chosen switching system.

**SCREW FIXING**

Standard option: screws included with IRD Sensors and End Caps.

**CABINET SIDES FIXING**


Optional accessory



The electrification connectors (L/R) are inserted into the MOOVE 5 profile as shown in the figure.


All wired IRD sensors can be mounted on either side of the profile, allowing you to change the orientation of the light beam, the direction of the sensor/cable outlet, and the color temperature.

Refer to the diagram below for all available options, for single or double sensors.



INSTALLATION - SIDE VIEW


Inside base cabinet lighting



CCT

ELECTRIFICATION OPTIONS - FRONT VIEW

2700K




4000K




2700K




4000K




Drawer lighting



2700K



4000K



2700K



4000K





Zefir

CE UK
CA

More than light



Bespoke measures only: 200 mm ~ 3000 mm

Oxidized aluminum profile with glare cover, opal polycarbonate diffuser and end caps.

Complete range of compatible kitchen accessories. Lamp with IP43 protection rating, for damp locations installation.

Available in standard or custom length from 200mm to 3000mm (on request).

		LUX
H mm	90°	EDC 4000K
	300	1300
	500	620
	1000	210


Zefir



71 Titanium bronze



03 Black



ZEFIR - 24V DC

71 03

524 - 9,2W/m min.200 / max.3000mm 3000-4000K

ACCESSORIES, POWER SUPPLY AND CONTROL

L&S DRIVER SYSTEM

MEC LITE modular connection systems, for the power supply and control 24V LED lamps



TOUCH SWITCH

(Integrated)

Single press for On-Off, long press for color temperature change. Not dimmable

TCS




CONTROL SYSTEM

(Version without touch switch)


Complete range of wireless sensors and transmitters for remote control of LED lamps connected to L&S Driver System




(mm)



(mm)




Zefir - Kitchen accessories




ALUMINIUM SINGLE HOOK

- | | |
|--------------------|-----------|
| 71 titanium bronze | 598800084 |
| 03 black | 598800072 |




ALUMINIUM LADLE HOLDER

- | | |
|--------------------|-----------|
| 71 titanium bronze | 598800083 |
| 03 black | 598800073 |



ALUMINIUM CANTILEVER SHELF

- | | |
|--------------------|-----------|
| 71 titanium bronze | 598900088 |
| 03 black | 598900083 |



ALUMINIUM PAPER ROLL HOLDER


- | | |
|--------------------|-----------|
| 71 titanium bronze | 598800082 |
| 03 black | 598800074 |



Flux 7b



Sharp light




Flux 7b is a linear recessed luminaire in black polycarbonate screen. Also to measure, is a discreet and versatile luminaire, ideal for lighting the interior of tall units, wardrobes and cabinets with installation in the side panels. The LED source is available with Emotion Dual Color color temperature which allows variation from 3000K to 4000K, thus guaranteeing optimal visual comfort.

Flux 7b



03 Black



FLUX 7B - 24V DC

03

- 9,2W/m min.100 /max.3000mm 3000-4000K

Bespoke measures only, up to 3m.

ACCESSORIES, POWER SUPPLY AND CONTROL

L&S DRIVER SYSTEM

MEC LITE modular connection systems, for the power supply and control 24V LED lamps



CONTROL SYSTEM

Complete range of wireless sensors and transmitters for remote control of LED lamps connected to L&S Driver System



Odo 3




Light to measure




Odo 3 is a linear recessed aluminum lamp without visible LEDs, designed to allow reflected light emission for a pleasant anti-glare lighting effect. Made exclusively to measure, it is a versatile luminaire designed to illuminate, installed in the side panels, the interior of tall units, wardrobes and cabinets but is equally effective for lighting shelves. The LED source is available with Emotion Dual Color color temperature which allows variation from 3000K to 4000K, thus guaranteeing optimal visual comfort.

Odo 3



21 Lead Color 12 Aluminium



ODO 3 - 24V DC

21 12

- 9,2W/m min.100 /max.3000mm 3000-4000K

Bespoke measures only, up to 3m.

ACCESSORIES, POWER SUPPLY AND CONTROL

L&S DRIVER SYSTEM

MEC LITE modular connection systems, for the power supply and control 24V LED lamps



CONTROL SYSTEM

Complete range of wireless sensors and transmitters for remote control of LED lamps connected to L&S Driver System




Ivo 2

CE UK
CA

Very elegant




Ivo 2 is a linear recessed luminaire in opal polycarbonate with side-emitting LED light source and milled groove with a reduced width of only 4 mm. Made exclusively to measure, is a discreet and versatile luminaire, ideal for lighting the interior of tall units, wardrobes and cabinets with installation in the side panels. The LED source is available with a warm color temperature (3000K).



Ivo 2



① Opal

**IVO 2 - 24V DC**

①

-	9,2W/m	min.100 / max.3000mm	3000K
---	--------	----------------------	-------

Bespoke measures only, up to 3m.

ACCESSORIES, POWER SUPPLY AND CONTROL**L&S DRIVER SYSTEM**

MEC LITE modular connection systems, for the power supply and control 24V LED lamps

**CONTROL SYSTEM**

Complete range of wireless sensors and transmitters for remote control of LED lamps connected to L&S Driver System



IVO X




Simply



Innovative and imperceptible

IVO X is a linear recessed lamp with an innovative design, featuring extremely small dimensions which allow the installation of the luminaire **in a milled groove only 3mm wide**. Made exclusively to measure in coextruded polycarbonate (opaline / black), IVO X traces an elegant light blade inside the furniture, so thin to be almost imperceptible. Ideal for lighting the interior of tall units, wardrobes and cabinets with installation in the side panels, it is available with a side-emitting LED light source in warm color temperature (3000K)



Ivo X



01 03 Coextruded Opal / Black

IVO X - 24V DC	180 LEDs/m 3000K
on request	10W/m min.100 /max.3000mm

- Bespoke measures only, up to 3m

ACCESSORIES, POWER SUPPLY AND CONTROL



L&S DRIVER SYSTEM

MEC LITE modular connection systems, for the power supply and control 24V LED lamps



CONTROL SYSTEM

Complete range of wireless sensors and transmitters for remote control of LED lamps connected to L&S Driver System



Focus



Giuseppe Bavuso Design



Eye catching



The functionality of an adjustable spotlight in a miniaturized design

Focus is a collection of handy adjustable recessed spotlights with an exclusive and miniaturized design, available in elegant black finish with round or square design, in single or double LED versions. All Focus spotlights provide uniform and comfortable lighting and fit within niches, display cases or bookcases in any residential or commercial environment. The LED light source is available with warm color temperature (3000K).

Focus



03 Black

FOCUS - 24V DC

03

528300001	1W	ROUND - SINGLE	3000K
528300003	1,8W	ROUND - DOUBLE	3000K
528300002	1W	SQUARE - SINGLE	3000K
528300004	1,8W	SQUARE - DOUBLE	3000K

Each spotlight is provided with 500 mm cable plus 2800 mm extension cable to the power supply

ACCESSORIES, POWER SUPPLY AND CONTROL

L&S DRIVER SYSTEM

MEC LITE modular connection systems, for the power supply and control 24V LED lamps



CONTROL SYSTEM

Complete range of wireless sensors and transmitters for remote control of LED lamps connected to L&S Driver System



Cora

CE UK
CA

Round



Iconic and exclusive


Cora is a recessed spotlight with an exclusive and elegant design, featured by a perimeter light that guarantees homogeneous light flux and no visible LEDs. Ideal for undercabinet, on shelf or inside niches and bookcases installation, Cora is available with Emotion light source, which allows colour temperatures variations from Warm White (2700K) to Cold White (6500K). The frontal cover is available in two different finish: black and stainless steel

H [cm]		Emotion 2700K	Emotion 6500K
30		618 lx	649 lx
50		212 lx	229 lx
100		62 lx	68 lx
		159 lm 64 lm/W CRI>80	164 lm 65 lm/W CRI>80

Cora



90 Stainless steel 03 Black



CORA - EMOTION - 24V DC

03 90	54570002	2,5W	Ø 68mm	2700K÷6500K
-------	----------	------	--------	-------------

ACCESSORIES, POWER SUPPLY AND CONTROL

EMOTION

Colour temperature variation from 'warm' to 'natural' white (3000-4000K).



L&S DRIVER SYSTEM

MEC LITE modular connection systems, for the power supply and control 24V LED lamps



CONTROL SYSTEM


Complete range of wireless sensors and transmitters for remote control of LED lamps connected to L&S Driver System



Zebra




Thinny light panel



Versatility with reduced thickness


Zebra is a rectangular spot designed to get a homogeneous light flux, to resemble a miniature light panel. The reduced thickness makes Zebra the ideal solution for undercabinet lighting, as well as other applications. The version with integrated switch (IRS) can either be controlled independently or used to control a series of connected spots. Easy mounting by means of a hidden bracket, which is covered by the black section of the spot: the main body mounts to this part magnetically.



Zebra



03 Black



ZEBRA - 12V DC - IRS

03	666893	2,2W	190x80mm	4000K
----	--------	------	----------	-------

ACCESSORIES, POWER SUPPLY AND CONTROL

IRS SENSOR

Fast movement for switching on and off.



L&S DRIVER SYSTEM

MEC LITE and MEC Driver modular connection systems, for the power supply and control of 12V and 24V LED lamps



ZEBRA - 12V DC

03	666886	2,2W	190x80mm	4000K
----	--------	------	----------	-------

Without switch

ACCESSORIES, POWER SUPPLY AND CONTROL

L&S DRIVER SYSTEM

MEC LITE and MEC Driver modular connection systems, for the power supply and control of 12V and 24V LED lamps



CONTROL SYSTEM

Complete range of wireless sensors and transmitters for remote control of LED lamps connected to L&S Driver System





MEC *LITE*




Ready-to-light

The innovative "Plug&Play" power supplies platform MEC Driver by L&S expands with the introduction of **MEC *LITE***, the new "**Ready-to-light**" power supply and control system for LED lamps.

MEC *LITE* is a multi-certified product with a compact and modular design: equipped with an integrated power distributor, it is **versatile, straightforward and easy to install**. It also includes new intuitive **Smart Home** solutions for light customization and an innovative range of dedicated wireless sensors and transmitters.

MEC *LITE* ensures **greater energy efficiency** compared to the MEC Driver product range in the catalog, with which it is 100% compatible.

Ready-to-light



Practical integrated power distributor


The integrated power distributor of **MEC LITE**, with an optimized number of outputs based on the power supply's capacity, is a practical and easy-to-use solution for quickly connecting LED lamps without additional distribution modules, which can still be used if it becomes necessary to power a larger number of lamps.

Reduced width for special installations

The new **MEC LITE slim** model, equipped with an integrated 3-output distributor, is thin and versatile, making it ideal for installation in tight spaces. Available exclusively in 24V, it can be connected to the control modules from the L&S power supply range via dedicated cable.


Control modules: Easier Smart Home

MEC LITE features a modular design with new Smart Home solutions for light control via voice assistant or smartphone, allowing for endless customizations in a simple and intuitive manner, thanks to the integration of the main protocols in the control modules. **LITE MT**, the module based on the Matter protocol, connects directly to the native app of the most popular Smart Home devices (eliminating the issue of managing different apps and protocols). The Bluetooth module **LITE BT** provides simple and immediate light management at your smartphone's fingertips; the **Zigbee** Module ensures quick and precise lighting control in a reliable low-energy consumption mesh network. The **LITE CS** and **LITE DL** modules, based on the CASAMBI and DALI protocols, allow for more advanced and integrated control.



Wireless control, practical and elegant

The new radio frequency transmitters make light management easy and incredibly versatile. **LITE sensor** is an innovative all-in-one sensor suitable for any context, usable as a motion sensor, door contact sensor, or touch transmitter. **LITE remote** is a practical 4-channel transmitter that allows control of multiple **LITE** control modules and can be installed on the wall using a practical magnetic support.








Multi-certified for global use



MEC LITE meets all major quality and safety requirements imposed by various global regulatory standards. The certifications obtained, together with the Wide Input system of 100-240 V AC and a separate power cable that can be chosen based on the type of plug used, make **MEC LITE** a global, safe, and reliable product.



MEC LITE 24 V

PATENT
PENDING

MEC LITE 12 V

PATENT
PENDING


Smart Control

Integration with all protocols

CASAMBI


Complete wireless system:
fewer cables, greater control

Casambi offers an open, accessible, and usable technology platform, bringing wireless control capabilities to various lighting devices. Casambi's comprehensive wireless solution opens up endless possibilities for every type of project, from residential to retail and hospitality. The system is based on Bluetooth Low Energy, requires no additional wiring, and allows you to manage individual fixtures or entire lighting networks with superior reliability and stability. Thanks to its dedicated app and advanced features—lighting scenarios, programming, and dynamic adjustments—Casambi offers the ideal level of lighting control, ideal for those designing scalable, quality-certified solutions.



International wired standard
for lighting control


The DALI (Digital Addressable Lighting Interface) protocol is the reference technology for the intelligent management of lighting fixtures in architectural and technical settings. It ensures reliable communication between devices from different manufacturers, with individual or group control of lamps and advanced functions such as dimming and lighting scenarios. Integration into building automation systems is simple and secure, with a standardized configuration and two-wire wiring that reduces costs and complexity. DALI enables precise, flexible, and efficient lighting management, suitable for professional projects, ensuring reliability and customization.






The universal standard for Smart Home devices

It simplifies the connection between smart devices from different brands through the innovative, fast, and reliable Matter protocol: the **LiteMT control module connects directly to the native app of Smart Home devices** (e.g., Amazon Alexa, SmartThings, Apple HomeKit). Through the Wi-Fi network, the device can be controlled from anywhere in the house. Control and customization of lighting through **voice assistants and smartphones**: intuitive and suitable even for non-expert users, thanks to an easy and immediate setup process that involves simply scanning the QR code present on the module.




Low power consumption wireless protocol

With the new **ZigBee** control module, our lighting devices **communicate with other smart home devices** (e.g., plugs, locks, and smart bulbs) **through a compatible bridge** (e.g., Philips Hue) in a reliable low-energy consumption mesh network. **Quick and precise control of lighting via smartphone** using the native app of the bridge or through voice assistants compatible with the ZigBee 3.0 protocol.



The most well-known and familiar technology, now with the new LiteBT module, allows for the integration of our devices into the smart management of the home: **through the dedicated app developed by L&S, light management is simple and immediate**. Customized lighting, intensity adjustment, and real-time lighting scenes are just **a tap away on your smartphone**.











LED Technologies

A new wide choice
of 24V LED Strips
to be integrated
in all our solutions

Easy and versatile solutions to create lighting systems for every needs


- Cuttable to size
- Practical and simple to use thanks to reel-to-reel connection cables
- No welding required
- High Color Rendering Index

	HE Strip. High efficiency LED strips More light output, less energy input. Cuttable version at a single LED.	COB. Chip on Board LED strips Continuous light effect with deceiving aesthetic.	Lumitough®. LED strips High robust quality, long lifetime, Consistent color. Ideal for small fragile spaces, high temperatures, humidity, rough handling during production process.	Free cut. LED strips High-performance LED strip without modules. Profile, cover, and strip can be cut together at any point, with no pitch constraints and no loss of functionality.
TECHNOLOGY				
BEAM ANGLE				
APPLICATION FLEXIBILITY	Less flexible and versatile	More versatile and flexible	More versatile and flexible (distortion 720°)	Less flexible and versatile
CRI	>80	>90	>90	>90



LASER DOOR BACK

DOOR SENSOR (24 V)



CONTROL SYSTEM FOR LED LAMPS

ON-OFF / Color Temperature

Control system complete with laser sensor for door opening detection. Works with furniture doors of any material (including glass), type (single, double, flap), finish or colour. Available in MONO (single color LED) or EDC (dual color LED) version.

SPECS

- V IN/OUT: 24V DC (MAX 2A - 48W)
- Detection distance (min/max): 150 / 1500mm
- Surface mounting against furniture backrest by means of fixing screws (included)
- Self calibration (10 sec.) of the system upon first Driver connection (with furniture door closed)
- Cable exit upwards or towards the back
- Cable hole: Ø10mm



FUNCTIONS

- ON/OFF (soft start)
- Color temperature change (EDC version only): quickly open and close the door for 3 consecutive times to change the color temperature of the connected EDC lamps


WAYS	V IN/OUT	MAX LOAD	LED	CODE
1 WAY	(24 V) DC	2A / 48W	MONO	941300095
			EDC	941300096

6 WAY DISTRIBUTION BOX (included)


To connect up to 6 LED Lamps to LASER DOOR BACK



Direct connection to LED Driver (not included) exclusively via power distributor



IR Door Tube



IR DOOR CONTACT SENSOR

Infrared sensor for recessed installation.
Hole: Ø10mm. Auto-OFF time 18h.
Available at 12V or 24V for MONO or EDC LEDs.

Version 1 IR (for single door wardrobes)

Single sensor complete with splitter cable for LED lamps connection. Do not use two single IRs to create a "2 IR system".

Version 2 IR (for double door wardrobes)



Double sensor (master/slave) complete with 6-ways distributor for LED lamps connection. Do not disassemble the double IR to obtain two single ones

Functions

"Soft start" switching ON/OFF of the connected lamps at door opening/closing. The EDC versions also allow color temperature variation of the connected EDC (Dual color) lamps: open and close the door quickly 4 times in a row to change the color temperature.

Mec Driver

Connect the IR sensor to MEC DRIVER (not included) via Distributor Module or Splitter Cable (not included). Do not connect the IR sensor to MEC Driver via Remote Control Modules.




V IN	MAX LOAD	IR / LED	CODE
12V DC	Max 36W (3A)	1 IR / MONO	03 24202200300
			01 24202200100
		1 IR / EDC	03 24202220300
			01 24202220100
24V DC	Max 72W (3A)	1 IR / MONO	03 24202210300
			01 24202210100
		1 IR / EDC	03 24202230300
			01 24202230100

V IN	MAX LOAD	IR / LED	CODE
12V DC	Max 36W (3A)	2 IR / MONO	03 24202240300
			01 24202240100
		2 IR / EDC	03 24202260300
			01 24202260100
24V DC	Max 72W (3A)	2 IR / MONO	03 24202250300
			01 24202250100
		2 IR / EDC	03 24202270300
			01 24202270100

mini IR

SENSOR SWITCH 12 V / 24 V



LED CONTROL UNIT WITH WIRED IR SENSORS

ON-OFF / Dimmer


Control unit with n°2 cabled IR Sensors for recessed mounting (hole: Ø10mm). Two operating modes (selection via button on the control unit):

MODE 1

Proximity sensor (touchless switch)



ON/OFF

DIMMER



MODE 2


Door contact ON/OFF (auto OFF 10 min.)



WAYS	V IN/OUT	MAX LOAD	SENSOR N°	CODE
1 way	24V DC	3A / 72W	1 SENSOR	600000017
			2 SENSORS	600000018



IR Sensor



Hole: Ø10mm

SURFACE MOUNTED HOUSING


Optional IR Sensor housing

CODE

943900004




Direct connection to LED Driver (not included) exclusively via power distributor



SPIDER PLUS

DOOR SENSOR


24 V







POWER DISTRIBUTOR FOR LED LAMPS

Spider Plus is an intuitive and easy-to-use solution that simplifies wiring management of cabinet installed lamps installed: the system uses practical piercing connectors with spiral cable (A/B), freely positionable along a cuttable to size power line (C) connected to the Driver. Fully self customizable in safety, Spider Plus is a clever product that allows maximum versatility and adaptation to every need, usable, connected to a control module, even with the remote control solutions of L&S

V IN/OUT	MAX LOAD		CODE
24 V DC	3A / 72W	(A) Connector to Driver	on request
		(B) Lamp connector	
12 V DC	3A / 36W	(A) Connector to Driver	
		(B) Lamp connector	
(C) Cutable to size 2 Poles cable - 5000mm			







LED DRIVER
(not included)




LAMP CABLE



LAMP CABLE



CAP



The information present in this catalog may be subject to errors. The articles, their characteristics, data and dimensions found therein are not binding and may be subject to change without prior notice from the company.

HEADQUARTERS

OUR SUBSIDIARIES

ITALY

Brugnera
Via L. Zanussi, 8
Maron di Brugnera (PN)
+39 0434 616611
info@ls-light.com

Varese
Via Pacinotti, 54
Varese (VA)
+39 0332 491247
info@formaefunzione.com

Tavullia
Via del Lavoro, 4
Tavullia (PU)
+39 0721 901123
info@italpek.it

Recanati
Via Armando Cingolani, 13
Zona Ind.le P.I.P.
Sambucheto di Recanati
Recanati (MC)
+39 071 0960086
sales@fluxitalia.com

GERMANY

L&S Deutschland GmbH
Daimlerring, 34
Rödinghausen
+49 5223 8790-0
info@ls-light.de

CHINA

LS Lighting (Shanghai) Co., Ltd.
No. 255, LongPan Rd.,
Malu Town,
Jiading District, Shanghai
+86 021 69 15 67 91
info.china@ls-light.com

UNITED STATES

L&S Lighting Corporation
1505 Pavilion Place, Suite A
Norcross, Georgia
+1 877 877 0757
info.us@ls-light.com

LS-LIGHT.COM